

Adding Devices


A Policy can replicate data on [Devices](#) assigned to the Disk Safe selected for this Policy.

Follow the instructions below to add Device(s) to the Disk Safe in CDP.

1. Click on "Disk Safes" in the Main Menu to access the "Disk Safes" page.

Standard Edition	Enterprise Edition	Advanced Edition
 <p>Standard Edition Main Menu: Dashboard, Disk Safes, Policy, Recovery Points, Task History, Reporting, Configuration.</p>	 <p>Enterprise Edition Main Menu: Dashboard, Volumes, Agents, Groups, Users, Disk Safes, Policy, Recovery Points, Task History, Reporting, Configuration.</p>	 <p>Advanced Edition Main Menu: Dashboard, Users, Disk Safes, Policy, Recovery Points, Task History, Reporting, Configuration.</p>

2. In the "Disk Safes" list, find the appropriate Disk Safe and click on the "Manage Devices" icon in the "Actions" column corresponding to the Disk Safe.

<input type="button" value="Open Selected"/> <input type="button" value="Close Selected"/> <input type="button" value="Remove Selected"/> <input type="button" value="Vacuum Selected"/> <input type="button" value="Bulk Edit"/>							
<input type="checkbox"/>	State	Name				All Devices	
<input type="checkbox"/>		ds	Offline	Offline	Offline	Offline	Offline
<input type="checkbox"/>		Disk Safe Test	4	5	167.1 MB	QuickLZ	

Manage Devices

When you create a new Disk Safe (See [Creating Disk Safes](#)) you can automatically add all available Devices to the Disk Safe by selecting the corresponding option:




If you do not select this option, once you save the Disk Safe, a dialog will appear entitled, "Add Devices to Protect".




Click "Add."


3. The "Devices" window will open.



4. In the "Devices On Agent" pane, click on "Get Devices from Agent."



5. All Host Devices will be listed in the "Devices On Agent" pane.



The following information is displayed in the table:

- Mount Point
- Capacity
- Content Type


See the description in [Accessing Devices](#).



Tip

To display the details about the device, click on the device in the list. See [Accessing Devices](#).

6. Click on the "Add" icon. This will assign the Device to the Disk Safe. The Devices will appear in the "Devices In Disk Safe."



7. After you have assigned all necessary devices, close the "Devices" window.

