


Browsing Recovery Points

Follow the instructions below to browse file(s)/folder(s) in [Recovery Points](#) in CDP.



1. Click on "Recovery Points" in the Main Menu to open the "Recovery Points" window.





2. **Enterprise Edition:** In the "Recovery Points" list, select an Agent from the drop-down menu located on the "Recovery Points" list toolbar.



3. Select a Disk Safe from the drop-down menu located on the "Recovery Points" list toolbar.

| Standard Edition |  <p>The screenshot shows the 'Recovery Points' list in the Standard Edition. The 'Disk Safe' dropdown menu is set to 'DiskSafe'. The table below shows two recovery points:</p> <table border="1"> <thead> <tr> <th>Id</th> <th>Created On</th> <th>State</th> <th>Devices</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>Aug 2, 2012 12:00:11 PM</td> <td>Available</td> <td>2</td> </tr> <tr> <td>2</td> <td>Aug 2, 2012 10:47:43 AM</td> <td>Available</td> <td>2</td> </tr> </tbody> </table> | Id | Created On | State | Devices | 3 | Aug 2, 2012 12:00:11 PM | Available | 2 | 2 | Aug 2, 2012 10:47:43 AM | Available | 2 |
|------------------------------|--|-----------|------------|-------|---------|---|-------------------------|-----------|---|---|-------------------------|-----------|---|
| Id | Created On | State | Devices | | | | | | | | | | |
| 3 | Aug 2, 2012 12:00:11 PM | Available | 2 | | | | | | | | | | |
| 2 | Aug 2, 2012 10:47:43 AM | Available | 2 | | | | | | | | | | |
| Advanced, Enterprise Edition |  <p>The screenshot shows the 'Recovery Points' list in the Advanced, Enterprise Edition. The 'Agent' dropdown is set to 'Agent_10.230.105.12' and the 'Disk Safe' dropdown is set to 'DiskSafe'. The table below shows two recovery points:</p> <table border="1"> <thead> <tr> <th>Id</th> <th>Created On</th> <th>State</th> <th>Devices</th> </tr> </thead> <tbody> <tr> <td>3</td> <td>Aug 2, 2012 12:00:11 PM</td> <td>Available</td> <td>2</td> </tr> <tr> <td>2</td> <td>Aug 2, 2012 10:47:43 AM</td> <td>Available</td> <td>2</td> </tr> </tbody> </table> | Id | Created On | State | Devices | 3 | Aug 2, 2012 12:00:11 PM | Available | 2 | 2 | Aug 2, 2012 10:47:43 AM | Available | 2 |
| Id | Created On | State | Devices | | | | | | | | | | |
| 3 | Aug 2, 2012 12:00:11 PM | Available | 2 | | | | | | | | | | |
| 2 | Aug 2, 2012 10:47:43 AM | Available | 2 | | | | | | | | | | |


4. In the "Recovery Points" list, find a Recovery Point and click on the "Browse" icon in the "Actions" column for this Recovery Point.

| | |
|------------------------------|---|
| Standard Edition |  <p>The screenshot shows the 'Recovery Points' list in the Standard Edition. The 'Browse' icon in the 'Actions' column for the first recovery point (Id 3) is circled in red.</p> |
| Advanced, Enterprise Edition |  <p>The screenshot shows the 'Recovery Points' list in the Advanced, Enterprise Edition. The 'Browse' icon in the 'Actions' column for the first recovery point (Id 3) is circled in red.</p> |


Tip
To find a Recovery Point, you can use the Basic and Advanced List Filters. See [Customizing the Recovery Points List](#).

**Note**

Note that if you configured the encryption during [Disk Safe creation](#), you will be asked to enter the encryption passphrase when you click on the "Browse," "Bare Metal Restore," "Browse Databases," or "Exchange" icon.



So that you don't have to enter the passphrase every time you click on one of the above-mentioned icons, check the "Remember passphrase until logout" check-box. Then click the "OK" button.



5. "The Browse Recovery Point" window will open.


| <p>Standard Edition</p> | <table border="1"> <thead> <tr> <th>Name</th> <th>Size</th> <th>Access Time</th> <th>Modify Time</th> </tr> </thead> <tbody> <tr> <td>E:</td> <td></td> <td>Mar 14, 2011 12:10:03 PM</td> <td>Mar 14, 2011 12:10:03 PM</td> </tr> </tbody> </table> | Name | Size | Access Time | Modify Time | E: | | Mar 14, 2011 12:10:03 PM | Mar 14, 2011 12:10:03 PM | | | | | | | | | | | | | | | | |
|-------------------------------------|---|--------------------------|--------------------------|-------------|-------------|-----|------------|--------------------------|--------------------------|------|------------|--|------------------------|-----|------------|--|------------------------|-----|------------|--|------------------------|------|------------|--|------------------------|
| Name | Size | Access Time | Modify Time | | | | | | | | | | | | | | | | | | | | | | |
| E: | | Mar 14, 2011 12:10:03 PM | Mar 14, 2011 12:10:03 PM | | | | | | | | | | | | | | | | | | | | | | |
| <p>Advanced, Enterprise Edition</p> | <table border="1"> <thead> <tr> <th>Name</th> <th>Attributes</th> <th>Size</th> <th>Modify Time</th> </tr> </thead> <tbody> <tr> <td>bin</td> <td>drwxr-xr-x</td> <td></td> <td>Jun 9, 2011 4:11:53 PM</td> </tr> <tr> <td>boot</td> <td>drwxr-xr-x</td> <td></td> <td>Jun 9, 2011 5:16:00 PM</td> </tr> <tr> <td>dev</td> <td>drwxr-xr-x</td> <td></td> <td>Jun 9, 2011 3:41:31 PM</td> </tr> <tr> <td>etc</td> <td>drwxr-xr-x</td> <td></td> <td>Jul 9, 2011 2:00:09 PM</td> </tr> <tr> <td>home</td> <td>drwxr-xr-x</td> <td></td> <td>Jun 9, 2011 3:46:42 PM</td> </tr> </tbody> </table> | Name | Attributes | Size | Modify Time | bin | drwxr-xr-x | | Jun 9, 2011 4:11:53 PM | boot | drwxr-xr-x | | Jun 9, 2011 5:16:00 PM | dev | drwxr-xr-x | | Jun 9, 2011 3:41:31 PM | etc | drwxr-xr-x | | Jul 9, 2011 2:00:09 PM | home | drwxr-xr-x | | Jun 9, 2011 3:46:42 PM |
| Name | Attributes | Size | Modify Time | | | | | | | | | | | | | | | | | | | | | | |
| bin | drwxr-xr-x | | Jun 9, 2011 4:11:53 PM | | | | | | | | | | | | | | | | | | | | | | |
| boot | drwxr-xr-x | | Jun 9, 2011 5:16:00 PM | | | | | | | | | | | | | | | | | | | | | | |
| dev | drwxr-xr-x | | Jun 9, 2011 3:41:31 PM | | | | | | | | | | | | | | | | | | | | | | |
| etc | drwxr-xr-x | | Jul 9, 2011 2:00:09 PM | | | | | | | | | | | | | | | | | | | | | | |
| home | drwxr-xr-x | | Jun 9, 2011 3:46:42 PM | | | | | | | | | | | | | | | | | | | | | | |

6. Using the CDP Server Web Interface, browse the files and folders contained in the Recovery

Point.


The built-in file browser functions like the Windows Explorer.

- To enter to a folder, double-click it.




Note
Make sure you double-click the folder name (text) or icon to enter to the folder. If you double-click the cell background, nothing happens.


- To go to the parent folder, click on "Up."




- To go to the desired folder, manually type the path into the address bar and click "Go."




- To find out the current path, see the address bar.



- To change the number of items per page, type a value in the appropriate field. Currently, the maximum number of items per page is 25.



- To navigate by pages, click on the arrow icons or type a page number into the appropriate field.



Columns:

- Path
- Size
- Access Time
- Modify Time