


## Setting up cPanel Plugin

Follow the instructions below to set up the cPanel Integration plugin. The installed plugin will activate an icon within the cPanel interface so that customers can go directly to their backups via the CDP Web Interface for Hosting Control Panel users.


1. Click on "Policy" in the Main Menu to access the "Policies" page.




2. Click on the necessary Policy with Control Panel Instances added.



3. Click on the "Control Panels" tab in the "Policy Details" window.



4. Click on the "Download Plugin" icon, located in the right column.



5. Upload the file to the server.

6. Extract the file using the following command:

```
tar -vzxf r1soft-cpanel-plugin-1.1.tar.gz
```

```
esb@ubuntu:~/Downloads$ tar -vzxf r1soft-cpanel-plugin-1.1.tar.gz
r1soft-cpanel-plugin-1.1/
r1soft-cpanel-plugin-1.1/r1soft-cdp.cpanelplugin
r1soft-cpanel-plugin-1.1/README
r1soft-cpanel-plugin-1.1/r1redirect.php
esb@ubuntu:~/Downloads$
```

7. Inside the archive, there is a "README" file with directions on how to set it up.

```
esb@ubuntu:~/Downloads/r1soft-cpanel-plugin-1.1$ ls
r1redirect.php r1soft-cdp.cpanelplugin README
```

8. Open the [r1redirect.php](#) file in your favorite Linux text editor (vi, emacs, pico, or mcedit).

```

GNU nano 2.2.6      File: r1redirect.php
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.o$
<?php

    //
    // URL of R1Soft CDP Server (NOTE: Use HTTPS to prevent transmission of$
    //
    $CDP_SERVER_URL = "https://127.0.0.1";

    //
    // ID of the Control Panel
    //
    $CONTROL_PANEL_ID = "a66cbb41-129b-4029-baa5-74c140ba4478";

?>
<html>
  <head>
    <title>

^G Get Help  ^O WriteOut  ^R Read File  ^Y Prev Page  ^K Cut Text    ^C Cur Pos
^X Exit      ^J Justify    ^W Where Is   ^V Next Page  ^U UnCut Text ^T To Spell

```

9. Locate the line that contains the following string:

```
$CDP_SERVER_URL = "..."
```

Replace the URL with the URL of your CDP Server (for example, <http://10.230.200.38>).

```

GNU nano 2.2.6      File: r1redirect.php      Modified
http://10.230.200.38<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//$
<?php

    //
    // URL of R1Soft CDP Server (NOTE: Use HTTPS to prevent transmission of$
    //
    $CDP_SERVER_URL = "http://10.230.200.38";

    //
    // ID of the Control Panel
    //
    $CONTROL_PANEL_ID = "a66cbb41-129b-4029-baa5-74c140ba4478";

?>
<html>
  <head>
    <title>

^G Get Help  ^O WriteOut  ^R Read File  ^Y Prev Page  ^K Cut Text    ^C Cur Pos
^X Exit      ^J Justify    ^W Where Is   ^V Next Page  ^U UnCut Text ^T To Spell

```

10. Locate the line that contains the following text:

```
$CONTROL_PANEL_ID = "..."
```

Replace the ID with the ID of your Control Panel Instance (for example, 736d96c3-e1d3-469b-913a-d86c34bd4673).

**Tip**

The Control Panel Instance ID is located in the "Control panel instance Id" column.

Policy Details for MySQL Policy						
Policy Settings						
Data Retention						
File Excludes						
MySQL						
SQL Server						
Exchange						
Control Panels						
State <input checked="" type="checkbox"/> Enabled <input checked="" type="checkbox"/> Disabled		Type <input checked="" type="checkbox"/> cPanel <input checked="" type="checkbox"/> Plesk <input checked="" type="checkbox"/> Virtuozzo <input checked="" type="checkbox"/> Parallels Pro <input checked="" type="checkbox"/> Interworx <input checked="" type="checkbox"/> DirectAdmin				
State	Type	Name	Control panel instance Id	Login	Download Plugin	
<input checked="" type="checkbox"/>	cPanel	CPanel Inst	736d96c3-e1d3-469b-913a-d86c34bd4673	<a href="#">Control panel end-user login link</a>		

```

GNU nano 2.2.6      File: r1redirect.php      Modified
<!DOCTYPE HTML PUBLIC "-//W3C//DTD HTML 4.01 Transitional//EN" "http://www.w3.org/
<?php

//
// URL of R1Soft CDP Server (NOTE: Use HTTPS to prevent transmission of$
//
$CDP_SERVER_URL = "http://10.230.200.38";

//
// ID of the Control Panel
//
$CONTROL_PANEL_ID = "736d96c3-e1d3-469b-913a-d86c34bd4673";

?>
<html>
  <head>
    <title>

```

11. Copy the `r1redirect.php` file to your cPanel theme folder(s). For example:

```
cp r1redirect.php /usr/local/cpanel/base/frontend/default/
```

12. Run the following command to integrate the plugin with cPanel:

```
/usr/local/cpanel/bin/register_cpanelplugin r1soft-cdp.cpanelplugin
```

13. The R1Soft CDP link should now appear inside of cPanel.



