

Disabling Policies

The disabled Policy will not execute at the scheduled time. However, the Policy remains in the list and can be enabled again for execution.



Tip

You can disable the Policy in the "Edit Policy" window. See [Editing Policies](#).

Follow the instructions below to disable one or several Policies in the "Policies" list.

1. Click on "Policy" in the Main Menu to access the "Policies" page.



2. Find the necessary Policy in the "Policies" list and click on the "Disable" icon in the "Actions" column for this Policy.

Standard, Advanced Edition	<input type="checkbox"/> Disable Selected <input type="checkbox"/> Enable Selected <input type="checkbox"/> Delete Selected <input type="checkbox"/> Bulk Edit						
	Enabled	Name	Disk Safe	Frequency	Last Run Time	Next Run Time	Actions
<input type="checkbox"/>	<input checked="" type="checkbox"/>	On Demand	Disk_Safe_1	On Demand	--	--	
<input type="checkbox"/>	<input checked="" type="checkbox"/>	Daily	Disk_Safe_2	Daily	--	27.04.11 21:00	

Enterprise Edition

<input type="checkbox"/>	Enabled	Name	Disk Sa	Agent Name	Frequency	Last Run Time	Next Run Time	
<input type="checkbox"/>		Plesk	plesk	plesk	Hourly	4/27/11 2:30 AM	4/27/11 3:30 AM	
<input type="checkbox"/>		virtuozz	virtuozzo	virtuozzo	Hourly	4/27/11 2:32 AM	4/27/11 3:32 AM	
<input type="checkbox"/>		POLICY DS - 192	cpanel		On Demand	4/7/11 2:45 PM	--	Disable
<input type="checkbox"/>		JKP-10.	10.230.100	10.230.100.	On Demand	4/7/11 2:45 PM	--	
<input type="checkbox"/>		testing	testing	virtuozzo	Hourly	4/27/11 3:00 AM	4/27/11 4:00 AM	


**Tip**

To find a Policy, you can use the Basic and Advanced List Filters. See [Customizing the Policies List](#).

**Note**

You can also use the "Disable Selected" function. See [Disabling One or Several Policies](#) below.

3. In the opened dialog, click "Disable" to disable selected Policy.



Disabling One or Several Policies

Using the "Disable Selected", you can disable several Policies at once.

1. In the "Policies" list, select one or several Policies by selecting the appropriate checkboxes in the first column.

Standard, Advanced Edition

<input type="checkbox"/>	Enabled	Name	Disk Safe	Frequency	Last Run Time	Next Run Time	
<input checked="" type="checkbox"/>		On Demand	Disk_Safe_1	On Demand	--	--	
<input type="checkbox"/>		Daily	Disk_Safe_2	Daily	--	27.04.11 21:00	

Enterprise Edition

		Disable Selected		Enable Selected		Delete Selected		Bulk Edit			
<input type="checkbox"/>	Enabled	Name	Disk Safe	Agent Name	Frequency	Last Run Time	Next Run Time				
<input checked="" type="checkbox"/>		Plesk	plesk	plesk	Hourly	4/27/11 2:30 AM	4/27/11 3:30 AM				
<input checked="" type="checkbox"/>		virtuozz	virtuozzo	virtuozzo	Hourly	4/27/11 2:32 AM	4/27/11 3:32 AM				
<input checked="" type="checkbox"/>		POLICY DS - 192	cpanel		On Demand	4/7/11 2:45 PM	--				
<input type="checkbox"/>		JKP-10.	10.230.100	10.230.100.	On Demand	4/7/11 2:45 PM	--				
<input type="checkbox"/>		testing	testing	virtuozzo	Hourly	4/27/11 3:00 AM	4/27/11 4:00 AM				

Note
You can also disable a Policy by unchecking the appropriate option in the "Edit Policy" window. See [Editing Policies](#).

2. Click on "Disable Selected" in the "Policies" list toolbar.


Standard, Advanced Edition

		Disable Selected		Enable Selected		Delete Selected		Bulk Edit		
<input type="checkbox"/>	Enabled	Name	Disk Safe	Frequency	Last Run Time	Next Run Time				
<input checked="" type="checkbox"/>		On Demand	Disk_Safe_1	On Demand	--	--				
<input type="checkbox"/>		Daily	Disk_Safe_2	Daily	--	27.04.11 21:00				

Enterprise Edition

		Disable Selected		Enable Selected		Delete Selected		Bulk Edit			
<input type="checkbox"/>	Enabled	Name	Disk Safe	Agent Name	Frequency	Last Run Time	Next Run Time				
<input checked="" type="checkbox"/>		Plesk	plesk	plesk	Hourly	4/27/11 2:30 AM	4/27/11 3:30 AM				
<input checked="" type="checkbox"/>		virtuozz	virtuozzo	virtuozzo	Hourly	4/27/11 2:32 AM	4/27/11 3:32 AM				
<input checked="" type="checkbox"/>		POLICY DS - 192	cpanel		On Demand	4/7/11 2:45 PM	--				
<input type="checkbox"/>		JKP-10.	10.230.100	10.230.100.	On Demand	4/7/11 2:45 PM	--				
<input type="checkbox"/>		testing	testing	virtuozzo	Hourly	4/27/11 3:00 AM	4/27/11 4:00 AM				

3. In the opened dialog, click "Disable" to disable all selected Policies at once.























4. The disabled Policies are marked by the red icon in the "Policies" list.

Standard, Advanced Edition

		Disable Selected		Enable Selected		Delete Selected		Bulk Edit		
<input type="checkbox"/>	Enabled	Name	Disk Safe	Frequency	Last Run Time	Next Run Time				
<input checked="" type="checkbox"/>		On Demand	Disk_Safe_1	On Demand	--	--				
<input type="checkbox"/>		Daily	Disk_Safe_2	Daily	--	27.04.11 21:00				

Enterprise Edition

		Disable Selected		Enable Selected		Delete Selected		Bulk Edit		
<input type="checkbox"/>	Enabled	Nan	Disk Sa	Agent Name	Frequency	Last Run Time	Next Run Time			
<input checked="" type="checkbox"/>		Plesk	plesk	plesk	Hourly	4/27/11 2:30 AM	4/27/11 3:30 AM			
<input checked="" type="checkbox"/>		virtuozz	virtuozzo	virtuozzo	Hourly	4/27/11 2:32 AM	4/27/11 3:32 AM			
<input checked="" type="checkbox"/>		POLICY	DS - 192	cpanel	On Demand	4/7/11 2:45 PM	--			
<input type="checkbox"/>		JKP-10.	10.230.100	10.230.100.	On Demand	4/7/11 2:45 PM	--			
<input type="checkbox"/>		testing	testing	virtuozzo	Hourly	4/27/11 3:00 AM	4/27/11 4:00 AM			

New in Version 3.14: You can also disable Policies using the "Policies" tab of the Agent "Details" Pane. This screen provides the same functionality as the main "Policies" screen. See more information in [Accessing Agents](#).