

Exporting Files from a Recovery Point

In CDP, you can download the files from a [Recovery Point](#) as a [tar](#) or a [zip](#) archive. Follow the instructions below.



1. Click on "Recovery Points" in the Main Menu to open the "Recovery Points" window.





2. **Enterprise Edition:** In the "Recovery Points" list, select an Agent from the drop-down menu located on the "Recovery Points" list toolbar.



3. Select a Disk Safe from the drop-down menu located on the "Recovery Points" list toolbar.


Standard Edition																								
	<table border="1"> <thead> <tr> <th>Id</th> <th>Created On</th> <th>State</th> <th>Devices</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>1.5.2011 12.16.07</td> <td>Replicating</td> <td>1</td> </tr> <tr> <td>4</td> <td>15.3.2011 14.14.56</td> <td>Locked</td> <td>1</td> </tr> <tr> <td>3</td> <td>14.3.2011 19.35.04</td> <td>Available</td> <td>1</td> </tr> <tr> <td>2</td> <td>14.3.2011 19.14.12</td> <td>Available</td> <td>1</td> </tr> <tr> <td>1</td> <td>14.3.2011 12.10.03</td> <td>Available</td> <td>1</td> </tr> </tbody> </table>	Id	Created On	State	Devices	5	1.5.2011 12.16.07	Replicating	1	4	15.3.2011 14.14.56	Locked	1	3	14.3.2011 19.35.04	Available	1	2	14.3.2011 19.14.12	Available	1	1	14.3.2011 12.10.03	Available
Id	Created On	State	Devices																					
5	1.5.2011 12.16.07	Replicating	1																					
4	15.3.2011 14.14.56	Locked	1																					
3	14.3.2011 19.35.04	Available	1																					
2	14.3.2011 19.14.12	Available	1																					
1	14.3.2011 12.10.03	Available	1																					
Advanced, Enterprise Edition	 <table border="1"> <thead> <tr> <th>Id</th> <th>Created On</th> <th>State</th> <th>Devices</th> </tr> </thead> <tbody> <tr> <td>716</td> <td>Jul 9, 2011 3:00:06 PM</td> <td>Available</td> <td>1</td> </tr> <tr> <td>715</td> <td>Jul 9, 2011 2:00:06 PM</td> <td>Available</td> <td>1</td> </tr> <tr> <td>714</td> <td>Jul 9, 2011 1:00:06 PM</td> <td>Available</td> <td>1</td> </tr> <tr> <td>713</td> <td>Jul 9, 2011 12:00:05 PM</td> <td>Available</td> <td>1</td> </tr> </tbody> </table>	Id	Created On	State	Devices	716	Jul 9, 2011 3:00:06 PM	Available	1	715	Jul 9, 2011 2:00:06 PM	Available	1	714	Jul 9, 2011 1:00:06 PM	Available	1	713	Jul 9, 2011 12:00:05 PM	Available	1			
Id	Created On	State	Devices																					
716	Jul 9, 2011 3:00:06 PM	Available	1																					
715	Jul 9, 2011 2:00:06 PM	Available	1																					
714	Jul 9, 2011 1:00:06 PM	Available	1																					
713	Jul 9, 2011 12:00:05 PM	Available	1																					

4. Find a Recovery Point and click on the "Browse" icon in the "Actions" column for this Recovery Point.

Standard Edition																								
	<table border="1"> <thead> <tr> <th>Id</th> <th>Created On</th> <th>State</th> <th>Devices</th> </tr> </thead> <tbody> <tr> <td>5</td> <td>1.5.2011 12.16.07</td> <td>Available</td> <td>1</td> </tr> <tr> <td>4</td> <td>15.3.2011 14.14.56</td> <td>Locked</td> <td>1</td> </tr> <tr> <td>3</td> <td>14.3.2011 19.35.04</td> <td>Available</td> <td>1</td> </tr> <tr> <td>2</td> <td>14.3.2011 19.14.12</td> <td>Available</td> <td>1</td> </tr> <tr> <td>1</td> <td>14.3.2011 12.10.03</td> <td>Available</td> <td>1</td> </tr> </tbody> </table>	Id	Created On	State	Devices	5	1.5.2011 12.16.07	Available	1	4	15.3.2011 14.14.56	Locked	1	3	14.3.2011 19.35.04	Available	1	2	14.3.2011 19.14.12	Available	1	1	14.3.2011 12.10.03	Available
Id	Created On	State	Devices																					
5	1.5.2011 12.16.07	Available	1																					
4	15.3.2011 14.14.56	Locked	1																					
3	14.3.2011 19.35.04	Available	1																					
2	14.3.2011 19.14.12	Available	1																					
1	14.3.2011 12.10.03	Available	1																					
Advanced, Enterprise Edition	 <table border="1"> <thead> <tr> <th>Id</th> <th>Created On</th> <th>State</th> <th>Devices</th> </tr> </thead> <tbody> <tr> <td>716</td> <td>Jul 9, 2011 3:00:06 PM</td> <td>Available</td> <td>1</td> </tr> <tr> <td>715</td> <td>Jul 9, 2011 2:00:06 PM</td> <td>Available</td> <td>1</td> </tr> <tr> <td>714</td> <td>Jul 9, 2011 1:00:06 PM</td> <td>Available</td> <td>1</td> </tr> <tr> <td>713</td> <td>Jul 9, 2011 12:00:05 PM</td> <td>Available</td> <td>1</td> </tr> </tbody> </table>	Id	Created On	State	Devices	716	Jul 9, 2011 3:00:06 PM	Available	1	715	Jul 9, 2011 2:00:06 PM	Available	1	714	Jul 9, 2011 1:00:06 PM	Available	1	713	Jul 9, 2011 12:00:05 PM	Available	1			
Id	Created On	State	Devices																					
716	Jul 9, 2011 3:00:06 PM	Available	1																					
715	Jul 9, 2011 2:00:06 PM	Available	1																					
714	Jul 9, 2011 1:00:06 PM	Available	1																					
713	Jul 9, 2011 12:00:05 PM	Available	1																					


Tip
To find a Recovery Point, you can use the Basic and Advanced List Filters. See [Customizing the Recovery Points List](#).

5. The "Browse Recovery Point" window opens.




See also: [Browsing Recovery Points](#).

6. Check the boxes next to the files or folders you want to download and click "Download Selected."




7. The "Download Stored Files" wizard will appear. Familiarize yourself with the introductory information and click "Next" to proceed with generating the archive for downloading.



8. On the "Archive Type" screen, select the type of the archive file. The following options are available:

- Download files as a tar archive - Allows you to download data as a [tar](#) file. This would be more preferable for Linux users.
- Compress tar archive with gzip - Check this box to compress the [tar](#) archive with gzip compression.
- Download files as a zip archive - Allows you to download data as a [zip](#) file. This would be more preferable for Windows users.



Click "Next."

9. On the next "Archive Filename" screen, define the name of the archive. The following options are available:


- Use Generated Filename - Select this option to generate the file name automatically. The name will be in the following format:

cdp-data-[date of Recovery Point creation]-[time of Recovery Point creation]

Example: [cdp-data-2011-07-09-03-00-06.tar.gz](#)


- Specify Filename - Select this option to input custom file name.

i Note
You do not need to specify the extension of the file. It will be appended automatically.



Click "Next."

10. On the last "Summary" screen, the settings you have selected are listed.



Click "Download" to obtain the archive.