

How to start the Backup Manager with all disk safes closed

Question

How can I start the Backup Manager with all disk safes in a closed state?
The steps below demonstrate how this can be accomplished.

Solution

1, Before starting, make sure the Backup Manager service is stopped

```
# /etc/init.d/cdp-server status  
OR  
# systemctl status sbm-server
```

2. Next, edit the server.properties file, found here:

```
/usr/sbin/r1soft/conf/server.properties
```

3. Locate the following line in server.properties, and set it to "true"

```
close-all-disk-safes-on-start-up=true
```

4. Save and exit the file

The next time the SBM starts, all disk safes will be closed.

NOTE: Remember to revert this to line back to "false" to ensure disk safes are again opened on startup.

Related Articles

Page: [Bare-Metal Restore from an Encrypted Disk Safe](#) (Knowledge Base) Labels: [bmr](#), [bare_metal_restore](#), [encryption](#), [encrypted](#), [restore](#), [disk_safe](#), [encryption_key](#)

Page: [How to start the Backup Manager with all disk safes closed](#) (Knowledge Base) Labels: [disk_safe](#), [startup](#)

Page: [Backup Manager fails to start with INFO - Storage Cache Service starting](#) (Knowledge Base) Labels: [sbm](#), [startup](#), [storage](#), [cache](#)

Page: [How to start the Backup Manager with all disk safes closed](#) (Knowledge Base) Labels: [disk_safe](#), [startup](#)
