

## Enabling Databases Add-On for Agent



### Notice

In CDP, end-user level MySQL backup is not supported. Only super-users can fulfill MySQL backup. Sub-users are limited by agent user permission.

You can enable the Databases Add-on while [adding the agent to the system](#) or for already created Agents. See [Changing Agents](#).

---


### Enabling the Databases Add-On for New Agent | Enabling the Databases Add-On for Existing Agent

---


#### Enabling the Databases Add-On for New Agent

Follow the instructions below to enable the Databases Add-On in the "Create New Agent" window in your CDP Enterprise Edition.

1. Click on "Agents" in the Main Menu to access the "Agents" page.



2. Then click "Create New Agent" in the Agents menu located in the top left area.



3. When the "Create New Agent" page loads, you will be able to set the agent options. They are described in [Adding the Agent to the CDP Server](#).

4. Select the "Enable Databases Add-on" checkbox.

The screenshot shows the 'Create New Agent' window with the following details:

- Identification:** Name: New Agent, Host Name/IP: serv1, Port Number: 1167
- Add-ons:**  Enable MySQL database Add-on (highlighted with an orange circle)
- Owner:** [Empty dropdown menu]
- Permissions:**  Full Control,  [Icon 1],  [Icon 2],  [Icon 3],  [Icon 4],  [Icon 5],  [Icon 6],  [Icon 7],  [Icon 8],  [Icon 9]
- Buttons:** Create, Cancel

5. Click "Create."

The image shows a close-up of the 'Create' and 'Cancel' buttons. The 'Create' button, which has a green plus icon, is circled in orange.

6. The "Databases Add-on" icon will appear in the "Add-ons" column for this Agent in the Agents list.


Name	Host Name/IP	Port Number	OS Type	Add-ons	
agent 57	10.230.106.57	1167	[Warning Icon]		[Edit] [Delete]
agent231	10.230.200.231	1167	[Warning Icon]		[Edit] [Delete]
NewAgent	serv1	1167	[Database Icon]	[Database Add-on Icon]	[Edit] [Delete]

The table shows a list of agents. The 'NewAgent' row is highlighted, and the 'Databases Add-on' icon (a blue database cylinder) is visible in the 'Add-ons' column for this agent, circled in orange.

## Enabling the Databases Add-On for Existing Agent

Follow the instructions below to enable the Databases Add-On in the "Edit Agent" window in your CDP Enterprise Edition.

1. Click on "Agents" in the Main Menu to access the "Agents" page.







2. The "Agents" page will list all existing CDP Agents.



#### Tip

To find an Agent, you can use the Basic and Advanced List Filters. See [Customizing the Agents List](#).

To change the existing Agent properties, click on the "Edit" icon under the "Actions" column for the corresponding Agent in the list.

<input type="checkbox"/>	Name	Host Name/IP	Port Number	OS Type	Add-ons	
<input type="checkbox"/>	agent 57	10.230.106.57	1167	⚠		 
<input type="checkbox"/>	agent231	10.230.200.231	1167	⚠		 

1 / 1 10 Items Per Page

3. Select the "Enable Databases Add-on" checkbox.

**Edit Agent**

Settings Groups Users

**Identification**

Name: agent 57  
 Host Name/IP: 10.230.106.57  
 Port Number: 1167

**Add-ons**


Enable MySQL database Add-on

**Owner**


Owner: [Dropdown]  
 Permissions:  Full Control

Reset Public Key Save Cancel

4. Once you have finished editing, click on the "Save" button.



5. The "Databases Add-on" icon will appear in the "Add-ons" column for this Agent in the Agents list.

Name	Host Name/IP	Port Number	OS Type	Add-ons
agent 57	10.230.106.57	1167	Linux	
agent231	10.230.200.231	1167	Linux	

1 / 1 10 Items Per Page

The following steps are described in:

- Installing the MySQL Connector JDBC into CDP3 Server
- Adding MySQL Instance to the Policy