Uninstalling Data Center Console on Linux

To remove Data Center Console from your computer, follow the below steps.

> **Notice**
> The uninstallation process differs depending whether you're running an RPM (RHE/CentOS/Fedora/Suse/Mandriva) or APT (Debian/Ubuntu) Linux distribution.

RPM/YUM-based Installations | DEB/APT-based Installations

RPM/YUM-based Installations

1. Type the removal command and press <Enter>.

```
rpm -e r1soft-cdp-datacenter-console r1soft-cdp-console
```



2. The uninstall program stops Data Center Console. It displays information about file removals and may list files that must be removed manually.

3. Once the uninstallation process is complete, Data Center Console is removed from your computer.

DEB/APT-based Installations

1. Type the removal command and press <Enter>

```
apt-get remove r1soft-cdp-datacenter-console r1soft-cdp-console
```



2. You will be asked to confirm the uninstallation. Type "Y" and press <Enter> to confirm.

> Tip
> "Yes" is the default answer. To select it, press <Enter>.

```
Do you want to continue [Y/n]?
(Reading database ... 26428 files and directories currently installed.)
Removing r1soft-cdp-datacenter-console ...
Removing r1soft-cdp-console ...
R1Soft uninstall has kept /usr/sbin/r1soft-datacenter-console and relevant configuration information.
To complete the uninstall, this directory must be removed manually
```

4. The uninstall program stops Data Center Console. It displays information about file removals and may list files that must be removed manually.

5. Once the uninstallation process is complete, Data Center Console is removed from your computer.