

Deleting Agents

When you delete a CDP Agent from the CDP Server, this also deletes all of the Host's Disk Safes. Follow the instructions below to delete an Agent in your CDP Enterprise Edition.


Deleting an Agent will prevent any tasks associated with it from running, and you will have to reassociate Disk Safes with another Agent before backups can continue.



Notice

If an Agent has associated Policies, it cannot be removed.

1. Click on "Agents" in the Main Menu to access the "Agents" page.



2. The "Agents" page will list all existing CDP Agents.



Tip

To find an Agent, you can use the Basic and Advanced List Filters. See [Customizing the Agents List](#).

To delete the existing Agent from the CDP Server, click on the "Delete" icon under "Actions" for the corresponding Agent in the list.

Name	Host Name/IP	Port Number	Agent Version	Add-ons	
<input type="checkbox"/> cPanel	12.14.60.42	1167	3.18.0.16162		
<input type="checkbox"/> DirectAdmin	12.14.60.45	1167	3.18.0.16147		
<input type="checkbox"/> InterWorx	10.230.200.29	1167	3.18.0.16162		
<input type="checkbox"/> MyAgent	localhost	1167			
<input type="checkbox"/> Parallels Pro	10.230.104.4	1167	3.18.0.16162		
<input type="checkbox"/> Plesk	10.230.104.11	1167	3.18.0.16131		
<input type="checkbox"/> test-win2008r2x64	10.20.200.39	1167			
<input type="checkbox"/> Virtuozzo	10.230.3.108	1167	3.18.0.16131		

1 / 1 10 Items Per Page

3. Confirm your request to delete the CDP Agent in the CDP Server.

