

Vacuuming Disk Safes

Vacuuming Disk Safe enables you to reduce the on-disk size. Block Stores are vacuumed in-place when the Vacuum function is selected by a user.



Notice

Vacuum operations are limited to the super user account.

About Vacuuming

The Disk Safe has a fixed size of 32 KB pages. The pages are indexed using B-Trees and each page is packed with block-level deltas. As you merge old recovery points, some deltas can be discarded.

Deltas can be discarded when merging an old recovery point into a newer one when any one of the following conditions are met:

1. The file system (e.g., NTFS or Ext4) is no longer using the block (you will likely have deleted some files and the associated blocks may not all have been re-used by the O/S).
2. The block has become overwritten (you changed a file).
3. You have re-sized your file system to make it smaller, and the blocks are simply no longer used.

When you merge old or unwanted recovery points, it is normal for the on-disk size of the Disk Safe files to not change or get smaller. Normally, this is not an issue and you can let the Disk Safe manage its on-disk footprint, automatically reusing the freed storage for new block-level deltas.

If you delete a device or disk volume from the disk safe, its space is automatically deleted because each disk has its own block-level delta store (.db file). When you delete a disk from the Disk Safe, this file is deleted.

When to Vacuum

If one of the following events occurs and you need to save as much disk space as possible, then you may want to consider vacuuming your Disk Safe:

1. You deleted a large number of recovery points. For example, you used to keep the last 100 Recovery Points but now only keep 5.

2. You greatly reduced the amount of files or data you are replicating. Maybe you protected the whole C: previously, and you now have changed your policy so that you exclude C:\Windows and another large directory, and the old Recovery Points still containing the folders you excluded have been merged away. Another example is that your D: drive had 100 GB of files on it but now only contains 10 GB.

When any one of these events occur, there may be a lot of empty, unused space in the Disk Safe .db files. You can use the "vacuum" action on Disk Safes to shrink the on-disk footprint of the Disk Safe .db files.

When you run a vacuum, the Disk Safe is taken offline, meaning the Disk Safe cannot be used by policies or for restores. The vacuum attempts to shrink the Disk Safe .db files as much as possible by relocating empty pages to the end of the file and full or partially filled pages to the front of the file. At the end, the file is truncated by the number of empty pages that existed in the .db file.




How to Vacuum Disk Safes

Follow the instructions below to vacuum a Disk Safe in CDP.

1. Click "Disk Safes" in the Main Menu to access the "Disk Safes" page.


Standard Edition	Enterprise Edition	Advanced Edition
 <p>Dashboard Disk Safes Policy Recovery Points Task History Reporting Configuration</p>	 <p>Dashboard Volumes Agents Groups Users Disk Safes Policy Recovery Points Task History Reporting Configuration</p>	 <p>Dashboard Users Disk Safes Policy Recovery Points Task History Reporting Configuration</p>

2. In the "Disk Safes" list, find the Disk Safe you need and click the "Vacuum" icon located in the "Actions" column next to the appropriate Disk Safe.

Standard Edition	
Advanced Edition	
Enterprise Edition	

Tip
To find a Disk Safe, you can use the Basic and Advanced List Filters. See [Customizing the Disk Safes List](#).

3. After clicking the "Vacuum" icon, a warning window opens. Confirm your request to vacuum the selected Disk Safe by clicking "Vacuum."



4. You will receive a notification that the Vacuum Task has been scheduled. Click "OK." The Task will run immediately after its creation.



Tip
The Task results can be sent via email as a Report. See [Reporting](#).

Bulk Vacuuming

1. Select some or all disk safe to vacuum using the check boxes.

	Name	Agent Name	Volume Name				Auto Add			
<input checked="" type="checkbox"/>	123	Default Agent		0	0	3.6 MB	✓			
<input checked="" type="checkbox"/>	345DS	Default Agent		0	0	3.6 MB	✓			
<input checked="" type="checkbox"/>	ds	Default Agent		0	0	3.5 MB	✓			
<input type="checkbox"/>	DSTEST	Default Agent		0	0	3.6 MB	✓			

2. Click on the "Vacuum selected" button.

	Name	Agent Name	Volume Name				Auto Add			
<input checked="" type="checkbox"/>	123	Default Agent		0	0	3.6 MB	✓			
<input checked="" type="checkbox"/>	345DS	Default Agent		0	0	3.6 MB	✓			
<input checked="" type="checkbox"/>	ds	Default Agent		0	0	3.5 MB	✓			
<input type="checkbox"/>	DSTEST	Default Agent		0	0	3.6 MB	✓			

3. Confirm your request to vacuum the selected Disk Safe by clicking "Vacuum" in the warning window.



Once vacuuming completed, the new Task appears in the "Reporting" list. The properties are shown in the grid.

State	Alert	Type	Name	Scheduled	Start Time	End Time	Run Time	Actions
✓				4/22/10 2:17 PM	4/22/10 2:17 PM	4/22/10 2:17 PM	0s	
✓			Policy 1	4/22/10 1:46 PM	4/22/10 1:46 PM	4/22/10 1:50 PM	4m 51s	

Summary		Alerts	Log Msgs										
<p>Vacuum</p> <table border="1"> <thead> <tr> <th>State</th> <th>Scheduled</th> <th>Start Time</th> <th>End Time</th> <th>Run Time</th> </tr> </thead> <tbody> <tr> <td>✓</td> <td>0</td> <td>4/22/10 2:17 PM</td> <td>4/22/10 2:17 PM</td> <td>4/22/10 2:17 PM</td> </tr> </tbody> </table> <p>Status: Task Finished</p>				State	Scheduled	Start Time	End Time	Run Time	✓	0	4/22/10 2:17 PM	4/22/10 2:17 PM	4/22/10 2:17 PM
State	Scheduled	Start Time	End Time	Run Time									
✓	0	4/22/10 2:17 PM	4/22/10 2:17 PM	4/22/10 2:17 PM									
<p>Statistics</p> <table border="1"> <tbody> <tr> <td>Free Pages Vacuumed</td> <td>0.0 bytes (0)</td> </tr> <tr> <td>Vacuum Rate</td> <td>0.0 b/s (0 pages/s)</td> </tr> </tbody> </table>				Free Pages Vacuumed	0.0 bytes (0)	Vacuum Rate	0.0 b/s (0 pages/s)						
Free Pages Vacuumed	0.0 bytes (0)												
Vacuum Rate	0.0 b/s (0 pages/s)												



Tip

You can also vacuum Disk Safes using the "Disk Safes" tab of the Agent "Details" Pane. This screen provides the same functionality as the main "Disk Safes" screen. See more information in [Accessing Agents](#).