

Editing MySQL Instance



Notice

End-user level MySQL backup is not supported in CDP. Only super-users can complete MySQL backup. Sub-users are limited by agent user permission.

Follow the instructions below to edit the MySQL instance in your CDP Enterprise or Advanced Edition.

1. Click on "Policy" in the Main Menu to access the "Policies" page.



2. Find the necessary Policy in the "Policies" list and click on the "Edit" icon in the "Actions" column for this Policy.


		Disable Selected		Enable Selected		Delete Selected		Bulk Edit		
<input type="checkbox"/>	<input type="checkbox"/>	Name	Disk Safe	Agent Name	Frequency					
<input type="checkbox"/>	<input checked="" type="checkbox"/>	10.230.110.62	10.230.110.62	10.230.110.62	On Demand					
<div style="border: 1px solid #ccc; padding: 2px; display: inline-block;">Edit</div>										
		1 / 1		10		Items Per Page				




Tip

To find a Policy, you can use the Basic and Advanced List Filters. See [Customizing the Policies List](#).


3. The "Edit Policy" window will open. Select the "MySQL" tab.




4. On the "MySQL" tab, click the "Edit" icon in front of the MySQL instance you want to re-configure.



5. The "Edit Database Instance" wizard will open. See settings descriptions in [Adding a MySQL Instance to a Policy](#).



6. Once you have finished editing the MySQL instance settings, click "Save."



7. Now save the Policy.



Note

If you click "Cancel" in the Policy window, no MySQL instance changes will be saved.

