

# MySQL InnoDB File Per Table Restore

## Symptom

---

MySQL InnoDB restores with the `file_per_table` option can take a long time to terminate after a restore is complete.

## Cause

---

After a restore of InnoDB `file_per_table` databases completes, the tasks will continue to display as running, while the MySQL temporary instance log info is dumped into the `cdp.log` file.

A large number of InnoDB tables using `file_per_table` can cause a significant delay in completing the task.

## Resolution

---

Now, the MySQL restore will only dump the MySQL temporary instance log files to the CDP Server if the CDP Server is unable to start the MySQL temporary instance.

## Related Articles

---

[Page: Adding a MySQL Instance to a Policy in Data Center Console \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: CDP for Databases \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: Adding a MySQL Instance to a Policy \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: Browsing MySQL Instance \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: Allowing Remote Connections to MySQL Instance \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: Editing MySQL Instance \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: Enabling and Disabling MySQL Instance \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

[Page: Testing MySQL Instance Connection \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

---

[Page: Deleting MySQL Instance \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

---

[Page: MySQL Restore in Large Deployment \(CDP\) Labels: mysql](#)

---

[Page: MySQL InnoDB File Per Table Restore \(CDP\) Labels: mysql](#)

---

[Page: MySQL Test Connection Fails when the Instance is Started with skip-innodb \(CDP\) Labels: mysql](#)

---

[Page: Solved Issue with Publishing MySQL Password \(CDP\) Labels: mysql](#)

---

[Page: MySQL Instance with a Non-Default tmp Directory \(CDP\) Labels: mysql](#)

---

[Page: Adding a MySQL Instance to a Policy on a PVC Container \(CDP\) Labels: enterprise\\_edition, advanced\\_edition, mysql](#)

---

[Page: Protecting MySQL \(CDP\) Labels: mysql](#)

---

[Page: Multi-Threaded MySQL Restore \(CDP\) Labels: mysql](#)

---

[Page: System Requirements - CDP for Databases \(CDP\) Labels: mysql, sql, exchange](#)

---

[Page: Protecting MySQL MariaDB and Percona Server \(CDP\) Labels: mysql](#)

---