

Installing Enterprise Edition on CentOS, RHE, and Fedora

1. Install the Server Using YUM | 2. Install the Server Manually (Using rpm) | 3. Configure and Start the CDP Server Web-based User Interface | Next Steps

1. Install the Server Using YUM

1.1 Configure YUM Repository

YUM is the easiest way to keep programs up-to-date on RedHat-compatible distributions. YUM downloads and installs the latest version of a program. You should configure the YUM repository to manage installations of and [upgrades](#) to CDP Server Enterprise Edition.

First, create a YUM `.repo` file with the R1Soft repository information. Save the file in the `yum.repos.d` directory, which is typically located in `/etc/`.

1. Open the new file with a text editor such as vi or nano:

```
# cd /etc/yum.repos.d
# vi r1soft.repo
```

or

```
# nano -w /etc/yum.repos.d/r1soft.repo
```

```
[root@centos-server ~]# nano -w /etc/yum.repos.d/r1soft.repo
```

2. Insert the following text into the file and save the file:

```
[r1soft]
name=R1Soft Repository Server
baseurl=http://repo.r1soft.com/yum/stable/$basearch/
enabled=1
gpgcheck=0
```



Tip

`$basearch` is a Yum variable, i.e., the base architecture (32-bit, 64-bit, etc.).

```

GNU nano 2.0.9 File: /etc/yum.repos.d/r1soft.repo
[r1soft]
name=R1Soft Repository Server
baseurl=http://repo.r1soft.com/yum/stable/$basearch/
enabled=1
gpgcheck=0

```

3. To verify what is written to the file, use the following command:

```
# cat /etc/yum.repos.d/r1soft.repo
```

```

[root@centos-server ~]# cat /etc/yum.repos.d/r1soft.repo
[r1soft]
name=R1Soft Repository Server
baseurl=http://repo.r1soft.com/yum/stable/$basearch/
enabled=1
gpgcheck=0

```

1.2 Install the Package

1. With the installed YUM repository, you can use the following command to install the CDP Enterprise Server:

```
#yum install r1soft-cdp-enterprise-server
```

```

[root@centos-server cdp]# yum install r1soft-cdp-enterprise-server
Loaded plugins: fastestmirror, presto
Loading mirror speeds from cached hostfile
 * base: centos.itt-consulting.com
 * extras: centos.itt-consulting.com
 * updates: centos.itt-consulting.com
Setting up Install Process
Resolving Dependencies
--> Running transaction check
--> Package r1soft-cdp-enterprise-server.i386 0:4.2.0-17723 will be installed
--> Processing Dependency: r1soft-cdp-server >= 4.2.0 for package: r1soft-cdp-en
terprise-server-4.2.0-17723.i386
--> Processing Dependency: r1soft-setup >= 4.2.0 for package: r1soft-cdp-enterpr
ise-server-4.2.0-17723.i386
--> Running transaction check
--> Package r1soft-cdp-server.i386 0:4.2.0-17723 will be installed
--> Package r1soft-setup.i386 0:4.2.0-17723 will be installed
--> Finished Dependency Resolution

Dependencies Resolved

=====
Package                                Arch      Version      Repository    Size
=====
Installing:
r1soft-cdp-enterprise-server            i386      4.2.0-17723  r1soft        8.7 k
Installing for dependencies:
r1soft-cdp-server                       i386      4.2.0-17723  r1soft       108 M
r1soft-setup                            i386      4.2.0-17723  r1soft        688 k

Transaction Summary
=====
Install      3 Package(s)

Total download size: 109 M
Installed size: 183 M
Is this ok [y/N]: █

```

2. Then, enter "y" to install all the dependencies of the package.

```

Is this ok [y/N]: y
Downloading Packages:
Setting up and reading Presto delta metadata
Processing delta metadata
Package(s) data still to download: 109 M
(1/3): r1soft-cdp-enterprise-server-4.2.0.i386.rpm | 8.7 kB 00:00
(2/3): r1soft-cdp-server-4.2.0.i386.rpm | 108 MB 10:24
(3/3): r1soft-setup-4.2.0.i386.rpm | 688 kB 00:04
-----
Total 177 kB/s | 109 MB 10:30
Running rpm_check_debug
Running Transaction Test
Transaction Test Succeeded
Running Transaction
Installing : r1soft-setup-4.2.0-17723.i386 1/3
Installing : r1soft-cdp-server-4.2.0-17723.i386 2/3
Error: server.conf missing. Did you specify which CDP product to install?
Please contact R1Soft Support (support@r1soft.com)
Installing : r1soft-cdp-enterprise-server-4.2.0-17723.i386 3/3
Warning: Recommended memory for installation is 2048MB

Installed:
r1soft-cdp-enterprise-server.i386 0:4.2.0-17723

Dependency Installed:
r1soft-cdp-server.i386 0:4.2.0-17723 r1soft-setup.i386 0:4.2.0-17723

Complete!

```

3. Once complete, you can use the help command to list all available options:

```
#r1soft-setup --help
```

```

root@debian-server:~# r1soft-setup --help
r1soft-setup (R1Soft Backup Setup/Custom kernel installer) 4.2.0 build 17723
Build Date: 2012/08/08 16:52:35
Copyright (c) 2011 by Idera, Inc. All rights reserved
Builds hcp kernel modules

```

4. Now, proceed to the [Step 3](#).

2. Install the Server Manually (Using rpm)

2.1 Download CDP Enterprise Edition

See [Obtaining Linux CDP Enterprise Edition](#).

2.2 Make Sure You Can Unzip the Download

Most Linux distributions come with the unzip utility pre-installed. To determine if you have the unzip utility, run:

```
# which unzip
```

This should return an output similar to the following:

```
# which unzip  
/usr/bin/unzip
```

```
[root@centos-server ~]# which unzip  
/usr/bin/unzip
```

If it returns the following output, you need to install the unzip utility first:

```
unzip: Command not found.
```

To install unzip on RHE, CentOS, and Fedora:

```
# yum install unzip
```

```
[root@centos-server ~]# yum install unzip
Loaded plugins: fastestmirror
Loading mirror speeds from cached hostfile
 * base: centos.itt-consulting.com
 * extras: centos.itt-consulting.com
 * updates: centos.itt-consulting.com
base                                     | 3.7 kB      00:00
extras                                  | 3.5 kB      00:00
extras/primary_db                       | 6.3 kB      00:00
updates                                  | 3.5 kB      00:00
updates/primary_db                      | 1.1 MB      00:00
Setting up Install Process
Resolving Dependencies
--> Running transaction check
---> Package unzip.x86_64 0:6.0-1.el6 set to be updated
--> Finished Dependency Resolution

Dependencies Resolved

=====
Package                Arch             Version          Repository        Size
=====
Installing:
unzip                  x86_64          6.0-1.el6        base              149 k

Transaction Summary
=====
Install      1 Package(s)
Upgrade     0 Package(s)

Total download size: 149 k
Installed size: 313 k
Is this ok [y/N]: y
Downloading Packages:
unzip-6.0-1.el6.x86_64.rpm             | 149 kB      00:00
Running rpm_check_debug
Running Transaction Test
Transaction Test Succeeded
Running Transaction
  Installing      : unzip-6.0-1.el6.x86_64                1/1

Installed:
unzip.x86_64 0:6.0-1.el6

Complete!
```

2.3 Extract the ZIP File

We recommend creating a temporary directory to which you can extract the contents of the ZIP file.

1. Use the `mkdir` command to create a temporary directory (in our case, `cdp`).

```
# mkdir cdp
```

2. Use the `mv` command to move the archive to that directory. Note that Linux file names are case-sensitive. Make sure you type the name correctly (in our case, "

r1soft-enterpriseedition-linux64-4.2.0.zip").

```
# mv r1soft-enterpriseedition-linux64-4.2.0.zip cdp
```

3. Use the `cd` command to go to that directory.

```
# cd cdp
```

4. Use the `unzip` command to extract the files.

```
# unzip r1soft-enterpriseedition-linux32.zip
```

```
[root@centos-server cdp]# unzip cdp-enterprise-edition-linux32.zip
Archive:  cdp-enterprise-edition-linux32.zip
  inflating: Enterprise-README.txt
   creating: deb-linux32/
  inflating: deb-linux32/r1soft-cdp-async-agent-2-6-i386-4.2.0.deb
  inflating: deb-linux32/r1soft-cdp-agent-i386-4.2.0.deb
  inflating: deb-linux32/r1soft-cdp-enterprise-agent-i386-4.2.0.deb
  inflating: deb-linux32/r1soft-setup-i386-4.2.0.deb
   creating: deb-linux64/
  inflating: deb-linux64/r1soft-cdp-enterprise-agent-amd64-4.2.0.deb
  inflating: deb-linux64/r1soft-cdp-async-agent-2-6-amd64-4.2.0.deb
  inflating: deb-linux64/r1soft-setup-amd64-4.2.0.deb
  inflating: deb-linux64/r1soft-cdp-agent-amd64-4.2.0.deb
   creating: enterprise-deb/
  inflating: enterprise-deb/r1soft-cdp-enterprise-server-i386-4.2.0.deb
  inflating: enterprise-deb/r1soft-cdp-server-i386-4.2.0.deb
  inflating: enterprise-deb/r1soft-setup-i386-4.2.0.deb
   creating: enterprise-rpm/
  inflating: enterprise-rpm/r1soft-cdp-enterprise-server-4.2.0.i386.rpm
  inflating: enterprise-rpm/r1soft-setup-4.2.0.i386.rpm
  inflating: enterprise-rpm/r1soft-cdp-server-4.2.0.i386.rpm
   creating: rpm-linux32/
  inflating: rpm-linux32/r1soft-cdp-enterprise-agent-4.2.0.i386.rpm
  inflating: rpm-linux32/r1soft-cdp-agent-4.2.0.i386.rpm
  inflating: rpm-linux32/r1soft-cdp-async-agent-2-6-4.2.0.i386.rpm
  inflating: rpm-linux32/r1soft-setup-4.2.0.i386.rpm
   creating: rpm-linux64/
  inflating: rpm-linux64/r1soft-cdp-agent-4.2.0.x86_64.rpm
  inflating: rpm-linux64/r1soft-cdp-enterprise-agent-4.2.0.x86_64.rpm
  inflating: rpm-linux64/r1soft-cdp-async-agent-2-6-4.2.0.x86_64.rpm
  inflating: rpm-linux64/r1soft-setup-4.2.0.x86_64.rpm
   creating: win32/
  inflating: win32/R1Soft-CDP-Enterprise-Agent-win32-4.2.0.exe
   creating: win64/
  inflating: win64/R1Soft-CDP-Enterprise-Agent-win64-4.2.0.exe
```

2.4 Install the Packages

**Notice**

You must be a Linux root user to install CDP Enterprise Edition.

The archive you have extracted contains two folders: one with `.deb` packages (in our case, "deb-linux32") and one with `.rpm` packages ("rpm-linux32"). If you are installing on RedHat and CentOS, select the `.rpm` package.

Each folder contains a set of CDP components:

- `r1soft-cdp-enterprise-edition`
- `r1soft-setup`
- `r1soft-cdp-agent`
- `r1soft-cdp-server`

You will need to install all of them in one step. Use the `cd` command to go to the folder with the packages (in our case, `deb-linux32`) and run the following command:

RPM 32-bit (x86) / RPM 64-bit (x86_64)

```
rpm -i *.rpm
```

```
[root@centos-server cdp-enterprise-temp-install]# rpm -i *.rpm
You will need to assign a username and password to the R1Soft CDP Server.
You can do this with '/usr/bin/r1soft-setup' utility.
Use '/usr/bin/r1soft-setup --help' for more information.
```

**Note**

The installed files are located in the `/usr/sbin/r1soft` directory. The server startup script is `/etc/init.d/cdp-server`.

**Note**

You do not need to install the kernel module on the Server.

3. Configure and Start the CDP Server Web-based User Interface

1. You must define a username and password for the CDP Server Web Interface before you can begin using CDP Enterprise Edition.

```
# r1soft-setup --user DESIRED_USERNAME --pass DESIRED_PASSWORD
```

After running this command, you will see an output similar to the following:

```
# r1soft-setup --user admin --pass r1soft
Server username and password set
The R1Soft CDP Server must be restarted for these changes to take effect
Use '/etc/init.d/cdp-server restart' to restart.
```

```
[root@centos-server ~]# r1soft-setup --user admin --pass r1soft
Server username and password set
The R1Soft CDP Server must be restarted for these changes to take effect
Use '/etc/init.d/cdp-server restart' to restart.
```

2. Configure Ports if necessary.

By default, the embedded web server in CDP Enterprise Edition required for the Web-based Interface will listen on TCP ports 80 (HTTP) and 443 (HTTPS). These ports are frequently used by your Linux server (e.g., by Apache). If you are already using ports 80 and 443, you will need to define different ports. Ports 8080 (HTTP) and 8443 (HTTPS) are recommended alternatives to standard 80 and 443. However, you can choose any other valid and unused TCP port.

```
# r1soft-setup --http-port 8080 --https-port 8443
```

```
[root@centos-server ~]# r1soft-setup --http-port 8080 --https-port 8443
Attempting to set HTTPS port for Enterprise Console
Server HTTPS Port set
The R1Soft CDP Server must be restarted for these changes to take effect
Use '/etc/init.d/cdp-server restart' to restart.
Attempting to set HTTP port for Enterprise Console
Server HTTP Port set
The R1Soft CDP Server must be restarted for these changes to take effect
Use '/etc/init.d/cdp-server restart' to restart.
```

Note

You may need to change the firewall rules, depending on where you are connecting to the Web Interface from.

See also: [Configuring Enterprise Edition on Linux](#).

3. Start the Web Interface (CDP Server):

```
# /etc/init.d/cdp-server restart
```

```
[root@centos-server ~]# /etc/init.d/cdp-server restart
..
/etc/init.d/cdp-server : cdpserver stopped
/etc/init.d/cdp-server : _cdpserver started
```

You should now be able to connect to the CDP Enterprise Edition Web Interface using Firefox or Internet Explorer. See [Accessing Enterprise Edition Web Interface](#).

Next Steps

- [Configuring Enterprise Edition on Linux](#)
- [Installing Agent on Windows](#)
- [Installing Agent on Linux](#)
- [Accessing Enterprise Edition Web Interface](#)
- [Activating CDP Enterprise Edition](#)
- [Adding the Server Key to Linux Agent](#)
- [Adding the Server Key to Windows Agent](#)
- [Configuring Heap Memory](#)