

## Adding a MySQL Instance to a Policy on a PVC Container


To set up a MySQL database on a Parallels Virtuozzo Containers (PVC) container, you will need to specify the following:

- Host - "Use Alternate Host Name/IP" must be checked with the host name/IP address and port details added.
- Authentication - Username and password for the MySQL Instance.
- Options - "Specify a Virtuozzo Container ID" must be checked and the container ID added below.


Follow the instructions below to add a MySQL Instance to a PVC container on your CDP Enterprise or Advanced Edition Policy.

You can also find a detailed description of the "Add New MySQL Instance" wizard in [Adding a MySQL Instance to a Policy](#).


1. Select the "MySQL" tab in the Policy window. You can do this while [creating a new Policy](#) as shown below.




You can also select the "MySQL" tab in the "Edit Policy" window after the Policy has been saved, and even while it is running. See [Editing Policies](#).




2. On the "MySQL" tab of the Policy window, click on the "Add New MySQL Instance" button.



3. The "Add Database Instance" wizard window will appear. Familiarize yourself with the introductory information, and click "Next" to proceed with adding the Instance.




If you see the following error message, then the database driver is not installed on your Agent.



See [this chapter](#) for detailed instructions on how to install the driver.

4. On the following "Name" screen, define the name for your database, and enable the database Instance. The name will be displayed in the Policy's "MySQL" tab.



Click "Next."

5. The next wizard screen is "Host." Here you can enter the information about the host to connect to.

Add the IP address of the MySQL PVC container.

The screenshot shows the 'Add Database Instance' wizard window. The 'Host' step is selected in the left-hand navigation pane. The main content area is titled 'Host' and contains the following text: 'You have two options for defining the hostname to connect to.' Below this, there are two bullet points: '• By default, we'll use the agent's current hostname.' and '• You can also define a specific hostname or IP address to connect to.' A checkbox labeled 'Use Alternate Host Name/IP' is checked and circled in red. Below the checkbox, there are two input fields: 'Host Name/IP' containing the IP address '192.168.1.36' (circled in red) and 'Port Number' containing '3306'. At the bottom of the window, there are four buttons: 'Test Connection', 'Back', 'Next' (circled in red), and 'Add', followed by a 'Cancel' button.

Click "Next."

This is a close-up screenshot of the bottom right corner of the wizard window, showing the 'Back', 'Next', 'Add', and 'Cancel' buttons. The 'Next' button is circled in red.

6. On the "Authentication" screen, specify the authentication credentials to connect to the database Instance.


- Username
- Password
- Confirm Password

The screenshot shows the 'Add Database Instance' wizard in the 'Authentication' step. The left sidebar contains a tree view with the following items: Introduction, Name, Host, Authentication (selected), Data Directory, Base Directory, Options, and Summary. The main area is titled 'Authentication' and contains the following text: 'You must specify the authentication credentials to use to connect to the database instance.' and 'The user specified must have full administrator-level access to the database instance.' Below this text are three input fields: 'Username' with the value 'root', 'Password' with masked characters '\*\*\*\*\*', and 'Confirm Password' with masked characters '\*\*\*\*\*'. An orange circle highlights these three input fields. At the bottom of the wizard, there are four buttons: 'Test Connection', 'Back', 'Next' (highlighted with an orange circle), 'Add', and 'Cancel'.

Click "Next."


7. On the "Data Directory" screen, define the path of the data directory. In order to properly restore the MySQL container, add the path of the MySQL container. In our case, it is `/var/lib/mysql`.

**Note**  
Do not provide the full path of the Hardware Node.




Click "Next."

8. On the following screen, specify a base directory (if it differs from the standard directory) to use if the automatic method fails.




Click "Next."


9. On the "Options" screen, supply the "Virtuozzo Container ID."



Click "Next."



10. On the last "Summary" screen, the settings you have selected are displayed.



Once you have verified that the specified settings are correct, click "Add" to add your MySQL Instance to the Policy.

11. The wizard screen closes, and the added MySQL Instance appears on the "MySQL" tab of the Policy window. Instance options are displayed in the appropriate columns.



13. Save the Policy.

