

Assigning Backups to a Different Disk Safe

Question

I would like to have a weekly "replication" to another location as a sort of "data bunker." Is there any way to create a weekly backup and have it go to a disk safe on a different volume than the other scheduled backups?

Solution

This is not possible in CDP 2.0. However, this can be accomplished with our version 3.x and 4.x product. Simply create a new Disk Safe in the new location and assign it to the existing Agent, then create a new Policy and assign the Agent and new Disk Safe.

Related Articles

Page: [BMR of a Citrix Xen 6.0 paravirtualized VM \(Knowledge Base\)](#) Labels: bare-metal_restore_3, disk_safe_3, partition_3, file_system_3, bmr_3, citrix_3, xen_3, pv_3, hvm_3

Page: [Setting Permissions on SSHFS File System \(Knowledge Base\)](#) Labels: disk_safe_3, troubleshoot_3

Page: [Assigning Backups to a Different Disk Safe \(Knowledge Base\)](#) Labels: disk_safe_3

Page: [Error - Caused by Java SQL SQLException Database Is Locked \(Knowledge Base\)](#) Labels: nfs_3, disk_safe_3, troubleshoot_3

Page: [Error - Could Not Create Disk Safe Directory \(Knowledge Base\)](#) Labels: disk_safe_3, troubleshoot_3, cdp_server_3

Page: [Error - Location Does Not Contain a Valid Disk Safe \(Knowledge Base\)](#) Labels: disk_safe_3, troubleshoot_3

Page: [Using Two Policies per Agent \(Knowledge Base\)](#) Labels: disk_safe_3, policy_3, agent_3, troubleshoot_3, volumes_3

Page: [Error - Linux cdp agent fails with "Floating Point Exception" \(Knowledge Base\)](#) Labels: nfs_3, disk_safe_3, troubleshoot_3
