

Configuring CDP Server "Run Service As" Account


During the installation process, you are prompted to select the User you want to run the CDP Server as. By default, the "system account" is selected. It is safe to leave the default value untouched. The only exception is when you want to run the server on behalf of a Domain User that has local administrative rights.



On the installed CDP Server, you can change the system account under which to run the CDP Server. The Windows CDP Configuration Utility allows you to do so.

Follow the instructions below to configure CDP Server "Run Service As" account using the [Windows CDP Configuration Utility](#).

1. Run the Windows CDP Configuration Utility by going to Start > All Programs/Programs > R1Soft CDP Backup > CDP Configuration Utility.



2. Select the "Server Configuration" tab.




3. Select one of two available options:

- Local System Account
- Specific Account

If you choose the second option, then define the account name and login.

Note

If you are going to store Disk Safes at a network share, make sure the selected user has permission to write to the network share. See also: [Error - Could Not Create Disk Safe Directory](#) (CDP Server Knowledge Base).




Run Service as: Local System Account
 Specific Account

Account: LocalSystem
Password: [masked]

Update Account Settings
Revert Account Changes

If necessary, click "Revert Account Changes" button to select the default account selected during installation.




Run Service as: Local System Account
 Specific Account

Account: LocalSystem
Password: [masked]

Update Account Settings
Revert Account Changes

4. Click on the "Update Account Settings" button to apply the changes.




Run Service as: Local System Account
 Specific Account

Account: LocalSystem
Password: [masked]

Update Account Settings
Revert Account Changes

5. The confirmation dialog will appear. Click "OK."



6. Now you must restart the CDP Server service for your changes to take effect. See [Restarting CDP Server](#).



Note

You can read how to do the same operation using the Windows built-in tools here: [Error - Could Not Create Disk Safe Directory \(CDP Knowledge Base\)](#).